Is alcohol transferred to the breast milk?

- Yes, when a mother drinks alcohol, it goes into her breast milk.
- Only time will remove the alcohol from breast milk. Strategies such as drinking more water, eating, pumping and discarding the milk, and exercising do not help the body remove the alcohol from breast milk any quicker.

Mothers and their partners can receive conflicting advice from family, friends and health care providers regarding alcohol use and breastfeeding. Make an informed decision when it comes to drinking alcohol while breastfeeding. Breastfeeding is best for your baby, and it's good for your health, too.



Looking for advice or information? Need help to stop drinking?

- FASD Ontario www.fasdON.ca
- A health care provider
- Drug and Alcohol Helpline, 1-800-565-8603
- Telehealth Ontario, 24/7 Breastfeeding Support Hotline, 1-866-797-0000.
- Low Risk Drinking Guidelines, <u>www.ccsa.ca/Resource%20Library/2012-</u> <u>Canada-Low-Risk-Alcohol-Drinking-Guidelines-Brochure-en.pdf</u>

Choose alcohol-free recipes:



Mocktails for Mom:

www.beststart.org/resources/alc reduction/LCB O recipe cards bro.pdf

LCBO: www.lcbo.com/socialresponsibility/mocktails.shtml


Make your alcohol-free drinks fun by adding an umbrella or piece of fruit!

best start meilleur départ

by/par health nexus santé

Best Start: Ontario's Maternal, Newborn and Early Child Development Resource Centre www.beststart.org

With thanks to the LCBO for its support in developing and producing this resource. 2012, 2016, 2020



Mixing Alcohol and Breastfeeding

Brochure for mothers and partners about drinking alcohol while breastfeeding



by/par health nexus santé



Breast milk is the normal food for newborns. It contains all the nutrition your baby needs. The Public Health Agency of Canada, the Dietitians of Canada, the Canadian Paediatric Society and the College of Family Physicians of Canada agree:

- ☑ Babies need only breast milk for the first 6 months.
- At 6 months, babies begin to eat solid foods and continue to breastfeed for up to 2 years and beyond.

Is it OK to have a few drinks at a special event?

The safest choice is not to drink alcohol if you are planning to become pregnant, are pregnant, or are breastfeeding. Choose an alcohol-free drink instead.



What does alcohol do to the milk supply?

- Alcohol decreases the letdown reflex and this could mean the baby gets less breast milk during feedings.
- Drinking alcohol does not increase milk production. In fact, heavy drinking may decrease the milk supply.



What effect can breast milk containing alcohol have on a baby?

- Babies may not like breast milk containing alcohol. The baby could drink less milk.
- The younger the baby, the more immature his/her system, and the greater the difficulty in clearing the alcohol from his/her body. Limit alcohol intake, particularly when breastfeeding newborns (first 3 months).
- Mothers who drink heavily while breastfeeding put their baby at risk for poor weight gain, poor growth, and possible developmental delays.

If you are breastfeeding, and are thinking about drinking alcohol on a special occasion, follow these simple rules to reduce the risks to your baby:

- Limit the amount you drink to 1 or 2 drinks per occasion.*
- Drink alcohol after breastfeeding, not before breastfeeding.
- Occasional drinking is not a reason to stop breastfeeding. The importance of breastfeeding is extensive and well known.
- Invite your partner to limit their alcohol use to support you.
 - * Always measure alcoholic drinks.
- A standard drink is:
 - Beer (5%): 341 ml (12 oz)
 - Wine (12%): 142 ml (5 oz)
 - Spirits (40%): 43 ml (1.5 oz)
 - Check the label alcohol content varies. Adjust the serving size accordingly.
 - It is important to know how much you are drinking. If you use a large glass you may go over the recommended limits.

If you are thinking about drinking more than 2 drinks per occasion, follow these simple rules. They will help to reduce the risks to your baby:

- Ask your partner or someone you trust to care for your baby until you are completely sober.
- Allow enough time for the alcohol to be eliminated from your body before the next feeding. On average it takes up to 2 hours for one drink and about 6 hours for 3 drinks.
- Express breast milk to relieve any discomfort of engorgement and to help maintain milk supply.
- Plan ahead. Express and store your breast milk for those times when you plan to drink alcohol and cannot safely breastfeed your baby.

